

Kylmävalssatut kromilevyt

Stainless steel cold rolled sheets

Ainestandardi: EN 10088-2/1.4016/2R/BA Ainestodistus: EN 10204/3.1
Välipaperilla

| Mitat | kg/kpl | EN 1.4016 |
|-------------------|--------|------------|
| 0,5 x 1000 x 2000 | 8,0 | 3101051000 |
| 0,5 x 1250 x 2500 | 12,5 | 3100191970 |
| 0,6 x 1000 x 2000 | 9,6 | 3101051100 |
| 0,7 x 1000 x 2000 | 11,2 | 3101051200 |
| 0,8 x 1000 x 2000 | 12,8 | 3101051400 |
| 1,0 x 1000 x 2000 | 16,0 | 3101051500 |
| 1,0 x 1250 x 2500 | 25,0 | 3100191980 |
| 1,5 x 1000 x 2000 | 24,0 | 3101051600 |

Ruostumattomat hiotut, kiiltohehkutetut ja koristevalssatut levyt

Stainless steel ground, BA, polished and decorated sheets

Ainestandardi: EN 100088-2/1.4301/2J+ PE-suojakalvo
EN 100088-2/1.4301/2G+ PE-suojakalvo
EN 100088-2/1.4301/2R+ PE-suojakalvo
EN 100088-2/1.4301 (nahkakuvio)

Mittatoleranssit: EN 10259 Ainestodistus: EN 10204/2.2 tai 3.1

| Mitat | kg/kpl | EN 1.4301/2J (4N) | EN 1.4301/2G (tetrahiottu) | EN 1.4301/2R (kiiltohehk.) | EN 1.4301 (koristevalss.) |
|--------------------|--------|----------------------|-------------------------------|-------------------------------|------------------------------|
| 0,5 x 1000 x 2000 | 8,0 | | | 3100250050 | |
| 0,6 x 1250 x 3000 | 18,0 | | | 3100250075 | |
| 0,7 x 1000 x 2000 | 11,2 | | | 3100251000 | |
| 0,8 x 1000 x 2000 | 13,0 | 3100201600 | | 3100251155 | |
| 0,8 x 1250 x 2500 | 20,0 | 3100201630 | | 3100251175 | 3100153950/ 3100153955 |
| 0,8 x 1250 x 3000 | 24,0 | 3100201662 | | 3100251195 | |
| 0,8 x 1500 x 3000 | 28,8 | 3100201692 | | | |
| 1,0 x 1000 x 2000 | 16,0 | 3100201700 | | 3100251310 | |
| 1,0 x 1250 x 2500 | 25,0 | 3100201940 | | 3100251465 | |
| 1,0 x 1250 x 3000 | 30,0 | 3100202241 | | 3100251475 | |
| 1,0 x 1500 x 3000 | 36,0 | 3100202250 | 3100205805 | | |
| 1,25 x 1000 x 2000 | 20,0 | | 3100202550 | 3100251620 | |
| 1,25 x 1250 x 2500 | 31,3 | 3100202600 | | 3100251775 | |
| 1,25 x 1250 x 3000 | 37,5 | 3100202716 | | 3100252085 | |
| 1,25 x 1500 x 3000 | 45,0 | 3100202726 | 3100202725 | | |
| 1,5 x 1000 x 2000 | 24,0 | | 3100203015 | 3100252240 | |
| 1,5 x 1250 x 2500 | 38,0 | 3100203320 | 3100203325 | | |
| 1,5 x 1250 x 3000 | 45,0 | 3100203475 | | 3100252400 | |
| 1,5 x 1500 x 3000 | 54,0 | 3100203665 | 3100205960 | | |
| 2,0 x 1000 x 2000 | 32,0 | 3190203800 | 3100203790 | | |
| 2,0 x 1250 x 2500 | 50,0 | 3100204090 | 3100204100 | | |
| 2,0 x 1250 x 3000 | 60,0 | 3100204120 | | | |
| 2,0 x 1500 x 3000 | 72,0 | 3100204265 | 3100206115 | | |
| 2,5 x 1500 x 3000 | 90,0 | | 3100204285 | | |
| 3,0 x 1250 x 2500 | 75,0 | | 3100204720 | | |
| 3,0 x 1500 x 3000 | 108,0 | 3100204890 | | | |

Ruostumattomat ja haponkestävät kylmävalssatut levyt

Stainless steel cold rolled sheets

Ainestandardi: EN 10088-2/EN 10028-7
ASTM/ASME SA 240

Ainestodistus: EN 10204/3.1
PED 97/23/EC

Mittatoleranssit: EN 10259

| Mitat | kg/kpl | EN 1.4301/2B | EN 1.4404/2B |
|--------------------|--------|--------------|--------------|
| 0,5 x 1000 x 2000 | 8,0 | 3101101525 | 3101521055 |
| 0,5 x 1250 x 2000 | 10,0 | 3101103360 | |
| 0,5 x 1250 x 2500 | 12,5 | 3101101530 | 3101521060 |
| 0,6 x 1000 x 2000 | 10,0 | 3101101560 | 3101521090 |
| 0,7 x 1000 x 2000 | 11,0 | 3101101595 | 3101521110 |
| 0,7 x 1250 x 2500 | 17,5 | 3101101665 | 3101521135 |
| 0,8 x 1000 x 2000 | 13,0 | 3101101735 | 3101521140 |
| 0,8 x 1250 x 2500 | 20,0 | 3101101790 | 3101521145 |
| 0,8 x 1250 x 3000 | 24,0 | 3191161830 | |
| 1,0 x 1000 x 2000 | 16,0 | 3101101840 | 3101521220 |
| 1,0 x 1250 x 2500 | 25,0 | 3101101910 | 3101521880 |
| 1,0 x 1250 x 3000 | 30,0 | 3101101980 | |
| 1,0 x 1500 x 3000 | 36,0 | 3101104045 | 3101522650 |
| 1,25 x 1000 x 2000 | 20,0 | 3101102050 | 3101521295 |
| 1,25 x 1250 x 2500 | 31,0 | 3101102120 | 3101521990 |
| 1,25 x 1250 x 3000 | 37,5 | 3101102130 | |
| 1,25 x 1500 x 3000 | 45,0 | 3101104115 | 3101521305 |
| 1,5 x 1000 x 2000 | 24,0 | 3101102190 | 3101521330 |
| 1,5 x 1250 x 2500 | 38,0 | 3101102295 | 3101522100 |
| 1,5 x 1250 x 3000 | 45,0 | 3101102435 | |
| 1,5 x 1500 x 3000 | 54,0 | 3101104185 | 3101522760 |
| 2,0 x 1000 x 2000 | 32,0 | 3101102610 | 3101521385 |
| 2,0 x 1250 x 2500 | 50,0 | 3101102680 | 3101522210 |
| 2,0 x 1250 x 3000 | 60,0 | 3101102750 | 3101521395 |
| 2,0 x 1500 x 3000 | 72,0 | 3101104255 | 3101522870 |
| 2,0 x 2000 x 4000 | 128,0 | 3101104745 | 3101521410 |
| 2,5 x 1000 x 2000 | 40,0 | 3101102820 | 3101521495 |
| 2,5 x 1250 x 2500 | 62,5 | 3101102890 | 3101522265 |
| 2,5 x 1250 x 3000 | 75,0 | 3101102900 | |
| 2,5 x 1500 x 3000 | 90,0 | 3101104360 | 3101522980 |
| 3,0 x 1000 x 2000 | 48,0 | 3101102960 | 3101521550 |
| 3,0 x 1250 x 2500 | 75,0 | 3101103030 | 3101522320 |
| 3,0 x 1250 x 3000 | 90,0 | 3101103135 | |
| 3,0 x 1500 x 3000 | 108,0 | 3101104430 | 3101523035 |
| 3,0 x 1500 x 6000 | 216,0 | 3101103155 | 3101521570 |
| 3,0 x 2000 x 4000 | 192,0 | 3101104815 | 3101521571 |
| 3,0 x 2000 x 6000 | 288,0 | 3101103165 | |
| 4,0 x 1000 x 2000 | 64,0 | 3101103170 | 3101521660 |
| 4,0 x 1250 x 3000 | 120,0 | | 3101521670 |
| 4,0 x 1500 x 3000 | 144,0 | 3101104500 | 3101523145 |
| 4,0 x 1500 x 6000 | 288,0 | 3101103260 | 3101521695 |
| 4,0 x 2000 x 4000 | 256,0 | 3101104850 | 3101521700 |
| 4,0 x 2000 x 6000 | 384,0 | 3101103270 | 4100101093 |
| 5,0 x 1000 x 2000 | 80,0 | 3101103310 | 3101521770 |
| 5,0 x 1500 x 3000 | 180,0 | 3101104605 | 3101523255 |
| 5,0 x 1500 x 6000 | 360,0 | 3101103400 | 3101521780 |
| 5,0 x 2000 x 4000 | 320,0 | | 3101501790 |
| 5,0 x 2000 x 6000 | 480,0 | | 3101521796 |
| 6,0 x 1000 x 2000 | 96,0 | 3101103415 | |
| 6,0 x 1500 x 3000 | 216,0 | 3101104640 | 3101523310 |
| 6,0 x 2000 x 4000 | 384,0 | | 3101521820 |
| 6,0 x 2000 x 6000 | 576,0 | | 3101521830 |

Ruostumattomat ja haponkestävät kuumavalssatut nauhalevyt

Stainless steel hot rolled sheets

Ainestandardi: EN 10088-2/EN 10028-7
ASTM/ASME SA 240

Ainestodistus: EN 10204/3.1
PED 97/23/EC

Mittatoleranssit: EN 10051

| Mitat | kg/kpl | EN 1.4301/1D | EN 1.4404/1D |
|--------------------|--------|--------------|--------------|
| 3,0 x 1500 x 3000 | 108,0 | 3101125095 | |
| 3,0 x 1500 x 6000 | 216,0 | 3101105110 | |
| 4,0 x 1000 x 2000 | 64,0 | 3101125130 | 3101543530 |
| 4,0 x 1500 x 3000 | 144,0 | 3101125235 | 3101543585 |
| 4,0 x 1500 x 6000 | 288,0 | 3101105245 | 3101549878 |
| 4,0 x 2000 x 4000 | 256,0 | 3101125410 | |
| 4,0 x 2000 x 6000 | 384,0 | 3101105255 | |
| 5,0 x 1000 x 2000 | 80,0 | 3101125270 | |
| 5,0 x 1500 x 3000 | 180,0 | 3101125340 | 3101543695 |
| 5,0 x 1500 x 6000 | 360,0 | 3101105350 | 3101543800 |
| 5,0 x 2000 x 4000 | 320,0 | 3101104885 | 3101523700 |
| 5,0 x 2000 x 6000 | 480,0 | 3101105360 | 3101523900 |
| 6,0 x 1000 x 2000 | 95,0 | 3101125445 | 3101543750 |
| 6,0 x 1500 x 3000 | 216,0 | 3101125515 | 3101544410 |
| 6,0 x 1500 x 6000 | 432,0 | 3101105525 | 3101523760 |
| 6,0 x 2000 x 4000 | 384,0 | | 3101549900 |
| 6,0 x 2000 x 6000 | 576,0 | 3101105560 | 3101523765 |
| 8,0 x 1000 x 2000 | 128,0 | 3101125585 | 3101543805 |
| 8,0 x 1500 x 3000 | 288,0 | 3101125690 | 3101544465 |
| 8,0 x 1500 x 6000 | 576,0 | 3101105700 | 3101543825 |
| 8,0 x 2000 x 4000 | 512,0 | 3101104850 | 3101504547 |
| 8,0 x 2000 x 6000 | 768,0 | 3101105710 | 3101504650 |
| 10,0 x 1000 x 2000 | 160,0 | 3101125795 | 3101543860 |
| 10,0 x 1500 x 3000 | 360,0 | 3101125900 | 3101544575 |
| 10,0 x 1500 x 6000 | 720,0 | 3101105910 | 3101544800 |
| 10,0 x 2000 x 4000 | 640,0 | | 3101504550 |
| 10,0 x 2000 x 6000 | 960,0 | 3101105945 | 3101505000 |
| 12,0 x 1500 x 3000 | 431,0 | 3101126005 | 3101544520 |
| 12,0 x 1500 x 6000 | 864,0 | 3101106015 | 3101544600 |
| 12,0 x 2000 x 6000 | 1152,0 | 3101106025 | 3101569000 |

Ruostumattomat ja haponkestävät kvarttovalssatut levyt

Stainless steel hot rolled plates

Ainestandardi: EN 10088-2/EN 10028-7
ASTM/ASME SA 240

Ainestodistus: EN 10204/3.1
PED 97/23/EC

Mittatoleranssit: EN 10029/lka A ja B

| Mitat | kg/kpl | EN 1.4301/1D | EN 1.4404/1D |
|------------------|--------|--------------|--------------|
| 15 x 1500 x 3000 | 540,0 | 3101246075 | 3101234590 |
| 15 x 1500 x 6000 | 1080,0 | 3101246080 | 3101234590 |
| 15 x 2000 x 6000 | 1440,0 | 3101246090 | 3101234635 |
| 20 x 1500 x 3000 | 720,0 | 3101246145 | 3101234600 |
| 20 x 1500 x 6000 | 1440,0 | 3101246155 | 3101234605 |
| 20 x 2000 x 6000 | 1920,0 | 3101246165 | 3101234640 |
| 25 x 1500 x 3000 | 900,0 | 3101246180 | 3101233963 |
| 25 x 1500 x 6000 | 1800,0 | 3101106190 | 3101234000 |
| 25 x 2000 x 6000 | 2400,0 | 3101246168 | 3101234645 |
| 30 x 1500 x 3000 | 1080,0 | 3101246200 | 3101234610 |
| 30 x 1500 x 6000 | 2160,0 | 3101246210 | 3101234612 |
| 30 x 2000 x 6000 | 2880,0 | 3101246220 | 3101234900 |
| 35 x 1500 x 3000 | 1260,0 | 3101246230 | 3101235000 |
| 35 x 1500 x 6000 | 2520,0 | | 3101235201 |
| 35 x 2000 x 6000 | 3360,0 | | 3101235150 |
| 40 x 1500 x 3000 | 1440,0 | 3101246240 | 3101234605 |
| 40 x 1500 x 6000 | 2880,0 | | 3101235202 |
| 40 x 2000 x 6000 | 3840,0 | | 3101235302 |
| 45 x 1500 x 3000 | 1620,0 | | 3101235400 |
| 50 x 1500 x 3000 | 1800,0 | 3101246250 | 3101235500 |
| 50 x 1500 x 6000 | 3600,0 | 3101246260 | 3101236000 |
| 50 x 2000 x 6000 | 4800,0 | | 3101235201 |
| 60 x 1500 x 3000 | 2160,0 | | 3101235202 |

RST-LEVYTT JA -NAUHAT

Ruostumattomat ja haponkestävät kyynellevyt

Stainless steel tread plates

Ainestandardi: EN 10088-2/EN 10028/7
ASTM/ASME SA 240

Ainestodistus: EN 10204/3.1

| Mitat | kg/kpl | EN 1.4307 |
|-------------------|--------|------------|
| 3,0 x 1000 x 3000 | 72,0 | 3101109000 |
| 4,0 x 1250 x 3000 | 120,0 | 3101109010 |
| 5,0 x 1250 x 3000 | 153,0 | 3101109030 |

Ruostumattomat ja haponkestävät nauhat

Stainless steel cold rolled strips

Ainestandardi: EN 10088-2/EN 10028-7
ASTM/ASME SA 240
Mittatoleranssit: EN 10259

Ainestodistus: EN 10204/3.1
PED 97/23/EC

| Mitat | EN 1.4301 Kelapainot 5 - 10 to | EN 1.4404 Kelapainot 5 - 10 to |
|-------------|--------------------------------------|--------------------------------------|
| 0,5 x 1000 | 3101151932 | 3101550500 |
| 0,5 x 1250 | 3101151981 | 3101550100 |
| 0,6 x 1250 | 3101152030 | |
| 0,7 x 1000 | 3101150100 | 3101550200 |
| 0,7 x 1250 | 3101152079 | 3101550300 |
| 0,8 x 1000 | 3101152128 | 3101550800 |
| 0,8 x 1250 | 3101152177 | |
| 1,0 x 1000 | 3101152226 | 3101550995 |
| 1,0 x 1250 | 3101152275 | 3191550100 |
| 1,0 x 1500 | 3101152324 | 3101550650 |
| 1,25 x 1000 | 3101152373 | |
| 1,25 x 1250 | 3101152422 | 3101550700 |
| 1,25 x 1500 | 3101152471 | |
| 1,5 x 1000 | 3101152520 | 3101551048 |
| 1,5 x 1250 | 3101152569 | 3101551050 |
| 1,5 x 1500 | 3101152618 | 3101550750 |
| 2,0 x 1000 | 3101152667 | 3101551100 |
| 2,0 x 1250 | 3101152716 | 3101551150 |
| 2,0 x 1500 | 3101152765 | 3101551200 |
| 2,5 x 1000 | 3101152814 | 3101550850 |
| 2,5 x 1250 | 3101152863 | 3101550900 |
| 2,5 x 1500 | 3101152912 | 3101551250 |
| 3,0 x 1000 | 3101153059 | 3101550950 |
| 3,0 x 1250 | 3101153108 | 3101551055 |
| 3,0 x 1500 | 3101153157 | 3101551300 |

Ruostumattomat hiotut nauhat

Stainless steel cold rolled strips

Ainestandardi: EN 10088-8/1.4301/2G+PE suojakalvo
EN 10088-8/1.4301/2J+PE suojakalvo

Ainestodistus: EN 10204/3.1
EN 10204/2.2

| Mitat | EN 1.4301 2J (4N) Kelapainot 5 - 10 to | EN 1.4301 2J (DB) Kelapainot 5 - 10 to |
|-------------|--|--|
| 0,8 x 1000 | 3101151050 | |
| 0,8 x 1250 | 3101151099 | |
| 0,8 x 1500 | 3101151197 | |
| 1,0 x 1000 | 3101151295 | |
| 1,0 x 1250 | 3101151344 | |
| 1,0 x 1500 | 3101350000 | |
| 1,25 x 1250 | 3101151442 | |
| 1,25 x 1500 | 3101350100 | |
| 1,5 x 1250 | 3101151540 | |
| 1,5 x 1500 | 3101151638 | |
| 2,0 x 1000 | 3101150710 | |
| 2,0 x 1250 | 3101151687 | 3101151785 |
| 2,0 x 1500 | 3101151834 | |
| 3,0 x 1500 | 3101151883 | |