

Alumiinisinkityt arkit -150G

Aluminium-zink-coated sheets DX51D+AZ150G

Ainestandardi: EN 10346

Mittastandardi: EN 10143

Vakiomitat	kg/kpl	Koodit
0,7 x 1250 x 2500	17,5	2203401010
1,0 x 1000 x 2000	20,0	2203401085
1,0 x 1250 x 2500	25,0	2203401170
1,25 x 1250 x 2500	31,2	2203401340
1,5 x 1000 x 2000	24,0	2203401425
1,5 x 1250 x 2500	37,5	2203401595
2,0 x 1000 x 2000	32,0	2203401680
2,0 x 1250 x 2500	50,0	2203401765

S235JR + AR / S240 Peitattu, öljytty

HR formable steel sheets / pickled, oiled

Ainestandardi: EN 10025-2

Ainestodistus: EN 10204:3.1

Mittastandardi: EN 10051

Mitat	Peitattuna	kg/kpl	Koodit
2 x 1250 x 2500	pe	50	2101256005
3 x 1000 x 2000	pe	48	2101256225
3 x 1250 x 2500	pe	75	2101256555
3 x 1500 x 3000	pe	108	2101256665
4 x 1000 x 2000	pe	64	2101256885
4 x 1250 x 2500	pe	100	2101257215
4 x 1500 x 3000	pe	144	2101257325
5 x 1000 x 2000	pe	80	2101257545
5 x 1250 x 2500	pe	125	2101257655
5 x 1500 x 3000	pe	180	2101257765
6 x 1000 x 2000	pe	96	2101257820
6 x 1250 x 2500	pe	150	2101257930
6 x 1500 x 3000	pe	216	2101258040
8 x 1500 x 3000	pe	288	2101258370
10 x 1000 x 2000	pe	160	2101258590
10 x 1500 x 3000	pe	360	2191208920

S355 MCD

HR formable high-strength steel sheets

Ainestandardi: EN 10149-2
Mittastandardi: EN 10051

Ainestodistus: EN 10204:3.1

Mitat	kg/kpl	Koodit
3 x 1500 x 3000	108	2101433585
3 x 1500 x 6000	216	2101433590
4 x 1500 x 3000	144	2101433805
5 x 1500 x 3000	180	2101434025
5 x 1500 x 6000	360	2101434030
6 x 1500 x 3000	216	2101434355
6 x 1500 x 6000	432	2101434360
8 x 1500 x 3000	288	2101434685
8 x 1500 x 6000	576	2101434695
10 x 1500 x 3000	360	2101435125
10 x 1500 x 6000	720	2101435160
12 x 1500 x 3000	432	2101435565

S355 MCD Laser Peitattu, öljytty

HR sheets for laser cutting / pickled, oiled

Ainestandardi: EN 10149-2
Mittastandardi: EN 10051

Ainestodistus: EN 10204:3.1

Mitat	Peitattuna	kg/kpl	Koodit
3 x 1250 x 2500	pe	75	2101800050
3 x 1500 x 3000	pe	108	2101800080
4 x 1250 x 2500	pe	100	2101800110
4 x 1500 x 3000	pe	144	2101800170
4 x 1600 x 4000	pe	205	2101800200
5 x 1250 x 2500	pe	125	2101800230
5 x 1500 x 3000	pe	180	2101800290
5 x 1600 x 4000	pe	256	2101800320
6 x 1250 x 2500	pe	150	2101800350
6 x 1500 x 3000	pe	216	2101800410
6 x 1600 x 4000	pe	307	2101800440
8 x 1250 x 2500	pe	200	2101800500
8 x 1500 x 3000	pe	288	2101800560
8 x 1600 x 4000	pe	410	2101800590
10 x 1500 x 3000	pe	360	2101800680
10 x 1500 x 4000	pe	480	2101800740
12 x 1500 x 3000	pe	432	2101801100
12 x 1600 x 4000	pe	614	2101435615
*) 15 x 1500 x 3000		540	2101801340

Kysy myös muita laserleikkaukseen soveltuvia mittoja.

*) Laatu S355 MCB

Domex 420 MCD / S420 MCD Laser Peitattu, öljytty

HR formable high-strength steel sheets / pickled, oiled

Ainestandardi: EN 10149-2
Mittastandardi: EN 10051

Ainestodistus: EN 10204:3.1

Mitat	Peitattu	kg/kpl	Koodit
4 x 1500 x 3000	pe	144	2101451510
5 x 1500 x 3000	pe	180	2101451680
6 x 1500 x 3000	pe	216	2101451765
8 x 1500 x 3000	pe	288	2101451850
10 x 1500 x 3000	pe	360	2101452020
12 x 1500 x 3000	pe	432	2101452105

Domex 500 MCD / S500 MCD

HR formable high-strength steel sheets

Ainestandardi: EN 10149-2
Mittastandardi: EN 10051

Ainestodistus: EN 10204: 3.1

Mitat	kg/kpl	Koodit
8 x 1500 x 6000	576	2196452250
10 x 1500 x 6000	720	2196452300
12 x 1500 x 6000	864	2196452350

Domex 550 MCE / S550 MCE

HR formable high-strength steel sheets

Ainestandardi: EN 10149-2
Mittastandardi: EN 10051

Ainestodistus: EN 10204:3.1

Mitat	kg/kpl	Koodit
10 x 1500 x 6000	720	2101501500
12 x 1300 x 6000	749	2101501600

Domex 650 MCE / S650 MCE

HR formable high-strength steel sheets

Ainestandardi: EN 10149-2
Mittastandardi: EN 10051

Ainestodistus: EN 10204: 3.1

Mitat	Peitattu	kg/kpl	Koodit
3 x 1300 x 3000		94	2101504000
3 x 1300 x 6000		187	2101504050
4 x 1500 x 3000	pe	144	2101501191
4 x 1500 x 6000		288	2101504150
5 x 1500 x 3000	pe	180	2101501681
5 x 1500 x 6000		360	2101504250
6 x 1500 x 3000	pe	216	2101503020
6 x 1500 x 6000		432	2101504451
8 x 1500 x 3000		288	2101504545
8 x 1500 x 6000		576	2101504550
10 x 1500 x 6000		720	2101504555

S420 ML

Thermomechanically rolled weldable fine grain structure steel plates

Ainestandardi: EN 10025-4
Mittastandardi: EN 10029

Ainestodistus: EN 10204:3.1

Mitat	kg/kpl	Koodit
10 x 2000 x 6000	960	2101466000
12 x 2000 x 6000	1152	2101466100
16 x 2000 x 6000	1536	2101466400
20 x 2000 x 6000	1920	2101466500

S500 ML

Thermomechanically rolled weldable fine grain structure steel plates

Ainestandardi: tehtaan oma
Mittastandardi: EN 10029

Ainestodistus: EN 10204:3.1

Mitat	kg/kpl	Koodit
12 x 2000 x 6000	1152	2191462351
16 x 2000 x 6000	1536	2191462352
20 x 2000 x 6000	1920	2191462400